



Liquid Handling Station, links

6.2841.120

Kombinierte Spül- und Verdünnungsstation zu Probenwechslern mit Swinghead. Zur Montage links vom Turm.

Lieferumfang 6.2841.120

Qt.	Order no.	Beschreibung
1 PCS	6.1801.120	PVC tubing / 4 mm / 6 mm / 2 m



1 PCS

6.1808.050

Tubing adapter olive / M8 outer

1 M8 outer thread and 1 tubing olive. E.g. for thermostat jacket of exchange units and stability measuring instruments.



1 PCS

6.2621.030

Hexagon key 4 mm



1 PCS

6.2621.140

Hexagon key 2.5 mm



2 PCS


6.2744.060

Threaded stopper

For UNF 10/32. Stopper for IC, e.g. for the sealing of columns.



Optionales Zubehör

Order no.	Beschreibung	
2.741.0010	741 Magnetic Stirrer	
	Magnetic stirrer for sample changers.	
	The magnetic stirrer is located beneath the sample rack.	
6.2762.100	Mixing vessel for Liquid Handling Station	
	Replacement mixing vessel for combined rinsing and dilution stations.	
6.2762.200	Transparent cover for the 6.2762.100 mixing vessel, PMMA	
	Transparent cover for the 6.2762.100 mixing vessel, for visual inspection in the mixing vessel.	