



Autolab IMP

3500003360

The Autolab IMP is a compact potentiostat/galvanostat with included EIS functionality. The overall specifications of the Autolab IMP (± 10 V compliance/measured/applied voltage, ± 100 mA measured/applied current, 10 μ Hz to 1 MHz EIS frequency range and included analog integrator) make it the ideal instrument for any educational lab, as well as for starting any electrochemistry projects.

Autolab IMP is controlled by and delivered with the powerful NOVA software, including a dedicated "EC Fundamentals" procedures library, making the electrochemistry educational process even easier. The Analog and digital inputs/outputs are available to control Autolab accessories and external devices.


Below, the accessories are grouped into Scope of delivery and Optional accessories. Please keep this printout at hand for ordering replacement material. These lists may be subject to change.

Scope of delivery 3500003360

Qt.	Order no.	Description
-----	-----------	-------------

1 PCS AUT.DUMCELL.S Autolab dummy cell

Dummy cell for instrument testing.



1 PCS CABLE.PWR Power cable

Standard power cable for Autolab instruments and accessories.




1 PCS CBL.USB Standard USB cable

Standard USB cable for Autolab instruments.



1 PCS CELLCBL.M101. Cell cable
204

Standard cell cable, 1.5 m, with connection for counter electrode (CE), reference electrode (RE), sense electrode (S), working electrode (WE) and ground for M101/M204/PGSTAT204.



Optional accessories

Order no.	Description	
ALL.CLIP.BLACK	Black Alligator Clamp	
ALL.CLIP.RED	Red Alligator Clamp	
AUT204.CASE	Field case for PGSTAT204	
IME663.101.S	Interface for Metrohm 663 VA Stand	