

Aquatrode Plus with Pt1000 (fixed cable)

6.00257.000

Combined pH electrode with integrated Pt1000 temperature sensor and fixed cable (2.0 m, banana plug 2 mm) for pH measurement/titration in low-ion aqueous media (e.g., drinking water, process water), and also exhibits an exceptionally rapid response time in these samples. The fixed ground-joint diaphragm is insensitive to contamination.

Storage in storage solution is recommended when c(KCI) = 3 mol/L is used as bridge electrolyte. The bridge electrolyte can be replaced with a chloride-free electrolyte (e.g., potassium nitrate c $(KNO_3) = 1 \text{ mol/L}$ (6.2310.010)), storage in used electrolyte.

Below, the accessories are grouped into Scope of delivery and Optional accessories. Please keep this printout at hand for ordering replacement material. These lists may be subject to change.

Scope of delivery 6.00257.000

|--|



Sleeve with SGJ 14/12 mm, polyethylene.



1 PCS

6.2008.040

Storage vessel

Together with 6.2008.050 storage vessel holder. it provides a support for the electrode on 807 Dosing Units.



Optional accessories

Order no.	Description	
6.2103.150	Adapter red 4 mm plug / 2 mm soc	
	Adapter for connecting electrodes with 2 mm plug to instruments with 4 mm socket (banana)	
6.2308.020	Electrolyte 3 mol/L KCl (250 mL)	
	Electrolyte solution $c(KCI) = 3 \text{ mol/L}$, (for Ag/AgCl reference systems)	
		The second of th
6.2310.010	Electrolyte KNO3-1mol/L 250 mL	
	Electrolyte solution KNO ₃ 1 M (reference electrolyte for combined silver	
	electrodes)	The second states of the secon
6.2323.000	Storage solution	
	Storage solution for all combined pH glass electrodes with reference electrolyte c(KCl) = 3 mol/L	The second of th



Maintenance kit for pH electrodes

The kit contains:

- 50 mL cleaning solution
- 50 mL 3M KCl solution
- 50 mL storage solution
- 2 Storage vessels
- Instructions for use



6.2325.100 Cleaning solution 3 x 50 mL

Reliable measuring results over long periods of time can be guaranteed only if the pH glass membrane and the diaphragm receive preventive and regular care. Cleaning by etching with toxic chemicals or applying mechanical treatment to the diaphragm is not only complicated and expensive, it also accelerates the ageing of the pH glass electrode.



The cleaning solution was developed for easy and gentle cleaning of pH glass electrodes. Regular use can considerably prolong their service life.

This cleaning solution is also part of the pHit kit.