

## **VIONIC**

3500001080

VIONIC es nuestro potenciostato/galvanostato de nueva generación que funciona con el nuevo software INTELLO de Autolab.

VIONIC ofrece las especificaciones combinadas más versátiles de cualquier aparato individual actualmente en el mercado.

Tensión disponible: ± 50 V

Corriente estándar: ± 6 A

Frecuencia EIS: hasta 10 MHz

Intervalo de muestreo: hasta 1 μs

También se incluyen en el precio de VIONIC características que normalmente tendrían un coste adicional con la mayoría de los demás aparatos, como:

- Espectroscopía de impedancia electroquímica (EIS)
- Modo flotante seleccionable
- Second Sense (S2)
- Escaneo analógico



## Partes/accesorios 3500001080

Qt.	Order no.	Descripción	
1 PCS	3500001940	Ethernet cable (3m)	
	Standard network instrument to the	k Cable (Ethernet, LAN) used to connect the VIONIC network	
1 PCS	3500002000	Earth Ground Cable	
		I Cable (EARTH) is a single cable, 0.5 m in length, with a connectors, one on each end.	
	The Earth Ground purchase separate	Cable is delivered with VIONIC and is also available to ely.	
		e used to provide an Earth ground connection to any es used in the experimental setup.	
1 PCS	3500002470	Autolab Test Cell	57 - 1767-050
	simulate typical	Cell provides a range of electrical circuits which can electrochemical interfaces. It is equipped with color nana sockets (female connectors) which assure a direct	Antohib Test Call  Market Call

connection to the 4 mm Banana Adaptive cables.

The Autolab Test Cell can be used for testing the performance of the VIONIC instrument, testing and trobleshooting measurement procedures.



Each 4mm Banana Adaptive Cable Set comes with 5 cables (Working /WE, Reference/RE, Counter/CE, Sense/S and Second Sense/S2) of 0.5 m in length.

Each 0.5 m cable ends with a 4 mm banana cell connector.

The 4 mm Banana Adaptive Cable Set is delivered with VIONIC and is also available to purchase separately.



1 PCS

3500002750

4mm Banana Adaptive Cable Set for High Frequency EIS

Each 4mm Banana Adaptive Cable Set for High Frequency EIS comes with 3 cables (Working/WE, Reference/RE, and a Ground bridge cable) each 0.25 m in length.

Each 0.25 m cable ends with a 4 mm banana cell connector. The 4 mm Banana Adaptive Cable Set for High Frequency EIS is delivered with VIONIC and is also available to purchase separately.

These cables must be used ONLY for EIS measurements at frequencies higher than 1 MHz.



2 PCS

ALL.CLIP.BLACK

Black Alligator Clamp

Black alligator clamp for connections to electrodes in the electrochemical cell.



2 PCS

ALL.CLIP.RED

**Red Alligator Clamp** 

Red alligator clamp for connections to electrodes in the electrochemical cell.





Standard power cord to plug the VIONIC instument into the power grid. The type of the inclued power cord is region specific.





## Accesorios opcionales

Order no.	Descripción
3500002010	Analog Ground Cable
	The Analog ground cable (AGND), is a single cable, 0.5 m in length, with one 2 mm and one 4 mm banana connectors, one on each end of the cable.
	This cable must be used only for ZRA (or ECN) measurements with VIONIC when operating with Floating ON.
	The Analog Ground Cable is an optional accessory and can be purchased separately.
3500002510	2mm Banana Adaptive Cable Set: 5 cables of 0.5 m ending with 2 mm banana connectors
	Each 2 mm Banana Adaptive Cable Set comes with 5 cables (Working /WE, Reference/RE, Counter/CE, Sense/S and Second Sense/S2) of 0.5 m in length.
	Each 0.5 m cable ends with a 2 mm banana cell connector.
	The 2 mm Banana Adaptive Cable Set is an optional accessory for VIONIC.
3500002530	Alligator clip Adaptive Cable Set: 5 cables of 0.5 m ending with Alligator Clip connectors
	Each Isolated BNC Adaptive Cable Set comes with 5 cables (Working/WE, Reference/RE, Counter/ CE, Sense/S and Second Sense/S2) of 0.5 m in length.
	Each 0.5 m cable ends with an Isolated BNC connector. The Isolated BNC Adaptive Cable Set is an optional accessory for VIONIC.
	The Isolated BNC Adaptive Cable Set is an optional accessory and can be purchased separately.



3500002540

Isolated BNC Adaptive Cable Set: 5 cables of 0.5 m ending with Isolated BNC connectors

Each Isolated BNC Adaptive Cable Set comes with 5 cables (Working/WE, Reference/RE, Counter/ CE, Sense/S and Second Sense/S2) of 0.5 m in length.

Each 0.5 m cable ends with an Isolated BNC connector.

The Isolated BNC Adaptive Cable Set is an optional accessory and can be purchased separately.

