



Electrodo ion-selectivo F-ISE combinado con Pt1000

6.00500.600

Electrodo selectivo de fluoruro combinado con membrana de cristal con sensor de temperatura integrado Pt1000.

Este electrodo ion-selectivo es adecuado para:

- Medidas de iones de F^- (10^{-6} mol/L hasta sat.)
- Medidas de iones automatizadas
- Titulaciones

Electrolito de referencia: $c(KCl) = 3 \text{ mol/L}$

El electrodo se almacena en el electrolito de referencia.

Accesorios opcionales

Order no.	Descripción
-----------	-------------

6.02104.600 Electrode cable plug-in head U / plug P, 0.55 m

Cable for connecting an electrode with plug-in head U to an analog measuring module from OMNIS.



6.02104.610 Electrode cable plug-in head U / plug P, 1.5 m

Cable for connecting an electrode with plug-in head U to an analog measuring module from OMNIS.



6.2104.600 Electrode cable for plug in head U/plug F, 2x2 mm B, 1m

For connecting electrodes with Metrohm plug-in head U to Metrohm instruments (socket F).



6.2104.610 Electrode cable for plug in head U/plug F, 2x2 mm B, 2m

For connecting electrodes with Metrohm plug-in head U to Metrohm instruments (socket F).



6.2308.020

Electrolyte 3 mol/L KCl (250 mL)

Electrolyte solution $c(\text{KCl}) = 3 \text{ mol/L}$, (for Ag/AgCl reference systems)

