

OMNIS Sample Robot Oven 2 x 6 mL

2.1030.1020

Sample Robot Oven 6 mL · 100 6 mL

Scope of delivery 2.1030.1020

Qt.	Order no.	Description	
1 PCS	1.1030.1020	OMNIS Sample Robot Oven 2 x 6 mL	
	OMNIS Sample R	Robot Oven 2 x 6 mL	



Adsorber cartridge suitable for the OMNIS Oven Module



2 PCS 6.02041.060 OMNIS sample rack 50 x 6 mL

OMNIS sample rack for OMNIS Sample Robot Oven, suitable for 50 sample vials (6.2419.000)



2 PCS 6.1446.230 Heating tubing stopper

Heating tube stopper, for 1 titration cell (coulometry)



1 PCS 6.1448.057 Aluminum septum caps / 100 pieces

Including Al sealing.



Replacement septums for the conditioning tube on an OMNIS Oven Module



2 PCS

6.1805.470 FEP tubing / M6 / 44 cm

With light and kink protection



2 PCS

6.1808.040 Thread adapter M6 outer / M8 inner

Outer thread M6, inner thread M8.



2 PCS

6.1808.050 Tubing adapter olive / M8 outer

1 M8 outer thread and 1 tubing olive. E.g. for thermostat jacket of exchange units and stability measuring instruments.



Heating tubing with M6 thread for OMNIS Sample Robot Oven



2 PCS **6.2049.060 11–55 mm distance holder set**

Distance holder set for the OMNIS Sample Robot Oven to adjust the immersion depth of the needle in the sample vial.



1 PCS **6.2419.007 Sample glass, 6 mL, 100 pieces**

Sample glass for up to 6 mL sample, suitable for 6.1448.057 septum, 100 pieces



2 PCS **6.2621.140** Hexagon key **2.5** mm



Dust filter for Rancimats and Karl Fischer ovens.



2 PCS

6.2739.000 Wrench

For tightening connectors



2 PCS

6.2811.000 Molecular sieve

Molecular sieve. Bottle containing 250 g. Pore size: 0.3 nm. Without moisture indicator. For Rancimats and Karl Fischer instruments.



2 PCS

6.2816.070

Septum piercing needle

Used with Karl Fischer ovens.



Used with KF Thermoprep and Oven Sample Processor.



2 PCS **6.2821.090** Aspiration filter

Pore size: 27 μ m. Set of 5 pieces. For aspiration tubing (6.1834.000) and filter tubes (6.1821.040) and (6.1821.050).



Optional accessories

Order no. Description

2.1018.0010 OMNIS Coulometer without stirrer

OMNIS Coulometer without magnetic stirrer for stand-alone operation or as the heart of an OMNIS titration system. The coulometer can be enhanced with additional titration, dosing or coulometer modules.

Coulometry is the ideal method for water content determination in the trace range (10 μ g to 10 mg absolute water content) in liquids, solids and gases. In addition, coulometric Karl Fischer titration is an absolute method making titer determination unnecessary.



2.1019.0010 OMNIS Coulometer Module without stirrer

Coulometer module without magnetic stirrer for connection to an OMNIS Titrator or to an OMNIS Coulometer as enhancement to include a measuring interface.



6.02700.010 Safety shield for the OMNIS Sample Robot Oven

Safety shield for the gripper of an OMNIS Sample Robot Oven



6.06001.380 Temperature gradient function license

Temperature gradient function license for OMNIS Sample Robot Oven. This license enables the slow heating-up of an unknown sample and the determination of the optimum heating-up temperature.





6.2621.110 Crimping tongs

Crimping tongs for sealing 6 mL sample vials (6.2419.000, 6.2419.007).

