

858 Professional Sample Processor for VA and CVS

2.858.0110

858 Professional Sample Processor for VA and CVSProfessional VA /CVS **viva** «Cyclic Voltammetric Stripping CVS«»«»**viva** 56 11 mL 28 50 mL

858 Professional CVS Sample Processor for VA and CVS

Scope of delivery 2.858.0110

Qt.	Order no.	Description
1 PCS	1.858.0020	858 Professional Sample Processor – Pump
	from 500 µL to 5	sional Sample Processor – Pump processes samples 00 mL. The sample transfer takes place either with the ional two-channel peristaltic pump or with an 800



For all IC instruments



1 PCS 6.1803.160 PTFE capillary, 0.75 mm ID / 3 m

PTFE capillary for use with the 920 Absorber Module.



1 PCS **6.1815.010** Spiral band **0.5** m

For holding together different cables or tubing.



2 PCS 6.1826.020 PVC pump tubing (blue/blue)

For online IC instruments and automation in voltammetry.



For all IC components.



1 PCS

6.1835.050 PEEK sample tube

For sample changers for transferring larger-sized sample volumes, e.g. for brightener determination.



1 PCS

6.2041.450

Sample rack 56 x 11 mL + 56 x 50 mL

Multi-row sample rack for 56 samples in 11 mL sample vessels (6.2743.050) and 56 samples in sample vessels of 50 mL (6.2747.010).



1 PCS

6.2151.000

Cable USB A - mini-DIN 8-pin

Controller cable



Cutting tool for simple cutting of plastic capillaries, 1/16" and 1/8", including 5 replacement blades.



1 PCS

6.2621.090

1/2 in. wrench

For 1/2 in. screws. For IC Sample Processors



1 PCS

6.2621.100

3 mm hex key for IC Sample Processors



1 PCS

6.2621.130

Hexagon key 2 mm

2 mm.



For tightening connectors



1 PCS

6.2743.057 Sample vessel 11 mL

200 pieces. For IC Sample Processors and VA Autosamplers.

The IC sample vessels are made of polypropylene (PP) plastic for health-care applications. Production and packaging both take place under sterile and clean room conditions (Clean Room Class 7, in accordance with DIN ISO 14644). This guarantees minimal degrees of contamination. The sample vessels are subjected to random checks for leachable anions and cations.



2 PCS

6.2744.010 Pressure screw 5x

With UNF 10/32 connection. For the connection of PEEK capillaries



2 PCS

6.2744.060 Threaded stopper

For UNF 10/32. Stopper for IC, e.g. for the sealing of columns.



With M6 outer thread. For IC instruments.



2 PCS 6.2744.160 Nozzle/UNF 10/32 coupling with security device

Security device for connecting pump tubing to a nozzle.



1 PCS **6.2744.290 T connector 3 × UNF 10/32 with holder**




4 PCS **6.2747.010 Sample vessel 50 mL**

With blue screw cap and mL graduation. Set of 25 pieces.



Safety shield for the Advanced IC/VA Sample Processors.



1 PCS 6.2846.000 Sample needle made of zirconium oxide

Sample needle for Sample Processors and Autosamplers in voltammetry.



Optional accessories

Order no.	Description
6.2041.770	Sample rack 211 x 11 mL
	Multi-row sample rack for 211 samples in 11 mL sample vessels (6.2743.050)

6.2041.780 Sample rack 65 x 11 mL + 25 x 50 mL

Multi-row sample rack for 65 samples in 11 mL sample vessels (6.2743.050) and 25 samples in 50 mL sample vessels (6.02743.030)



6.5339.620 Equipment: 807 Dosing Unit for pipetting system for Professional VA/CVS instruments

Accessory kit for fully automated CVS pipetting system in combination with the 858 Professional Sample Processor. Contains one 807 Dosing Unit 5 mL and 50 mL each, clear glass bottles 2 L, pipetting tubing, rinsing station, safety shield and other accessories. Without Dosinos.

