

944 Professional UV/VIS Detector Vario

2.944.0010

944 Professional UV/VIS Detector Vario UV/VIS

Scope of delivery 2.944.0010

Qt.	Order no.	Description	
1 PCS	1.944.0010	944 Professional UV/VIS Detector Vario	
	detector from Me	trohm. It permits a secure and reliable quantification of re in the ultraviolet or visible range. Detection takes Array.	actor Varia





1 PCS **6.2151.020 Cable USB A - USB B 1.8 m**

USB connecting cable



1 PCS 6.2744.070 Pressure screw short

Short version. With UNF 10/32 connection. 5 pieces. For the connection of PEEK capillaries



1 PCS 6.2839.130 Flow-through cell for 944

PEEK flow-through cell for 944 Professional UV/VIS Detector Vario



Optional accessories

Order no. Description 2.943.0110 943 Professional Reactor Vario

The 943 Professional Reactor Vario is a heatable reactor, especially developed for pre- and post-column derivatization. It captivates by its robustness, the fast heating rate and the possibility of carrying out reactions at up to $150\,^{\circ}\text{C}$.



2.943.0210 943 Professional Thermostat Vario

The 943 Professional Thermostat Vario is a stand-alone column oven for up to two columns with a maximum length of 150 mm. It captivates by its fast heating rate and the possibility of operating two separation columns together at up to 80°C.



6.2061.100 Bottle holder for Professional IC instruments

Instrument cover and bottle holder for Professional IC instruments.



6.2061.110 Tray with sensor for Professional IC Instruments






6.2061.120 System Connector

Connects an IC module with the footprint of a Professional IC with a Compact IC



6.2764.000 Replacement seals to 62839130

Set of seals for Flow cell 10 mm to UV/VIS instruments



6.2804.060 Deuterium lamp (UV) for UV/VIS instruments

Replacement bulb for the UV range



6.2804.100 Halogen lamp (Vis) for Professional UV/VIS Detector

Spare lamp for the visible range for the 944 Professional UV/VIS Detector Vario

