

# Metrosep A Supp 7 - 150/2.0

6.1006.640

Metrosep A Supp 7 - 150/2.0 A-Supp-7 Metrosep A Supp 7 - 150/2.0  $\mu$ g/L

5 µm

MS

# **Optional accessories**

Order no.	Description	
6.1006.600	Metrosep A Supp 5 Guard/2.0	
	The Metrosep A Supp 5 Guard/2.0 reliably protects the 2 mm versions of the Metrosep A Supp 5 and Metrosep A Supp 7 IC anion columns against contamination from the sample or eluent. It contains the same separation material as the Metrosep A Supp 5, is also made of PEEK, and is screwed directly onto the respective separation column with virtually no dead volume ("On Column Guard System"). The guard column prolongs the service life of the analytical column, with practically no influence on its chromatographic separating efficiency. The economical price and simple handling make using the A Supp 5 Guard/2.0 highly recommended.	



#### 6.1006.610 Metrosep A Supp 5 S-Guard/2.0

The Metrosep A Supp 5 S-Guard/2.0 reliably protects the 2 mm versions of the Metrosep A Supp 5 and Metrosep A Supp 7 IC anion columns against contamination from the sample or eluent.

It contains the same separation material as the Metrosep A Supp 5, is also made of PEEK, and is connected directly onto the respective separation column via capillary connection. The guard column prolongs the service life of the analytical column, with practically no influence on its chromatographic separating efficiency. The economical price and simple handling make using the A Supp 5 S-Guard/2.0 highly recommended.



## 6.1031.600 Metrosep A Supp 16 Guard/2.0

The Metrosep A Supp 16 Guard/2.0 reliably protects the Metrosep A Supp 16 analytical separation columns with 2 mm inner diameter against contamination. Thanks to the "On Column Guard System", the guard column is very easy to handle. The guard column screws easily onto the analytical column. No tools are required.



### 6.1031.610 Metrosep A Supp 16 S-Guard/2.0

The Metrosep A Supp 16 S-Guard/2.0 reliably protects the Metrosep A Supp 16 analytical separation columns with 2 mm inner diameter against contamination. The guard column is connected to the separation column simply using capillary connections. No tools are required.

